

INDEX TO VOLUME 72

A

- Abundance, bottom organisms, 56-62
 - Reighard's chub, 111-116
- Age and growth, bluegills, 180
 - brook trout, 44-48
 - largemouth black bass, 180
 - pumpkinseed sunfish, 180
 - Reighard's chub, 108-135
 - smelt, 257-262
- Alder, 37
 - flies, 56-62
- Algae, filamentous, effect of fertilizer, 100-101
- Allocapnia torontoensis*, 37
- Alnus incana*, 37
- Alpine char, taxonomy and habits, 87-88
- Ambloplites rupestris*, 72-78
- Ameiuridae
 - Ameiurus*, 208, 270
 - natalis*, 178-186
- Amiidae
 - Amia calva*, 187-196
- Amnicola*, 278-279; 283
- Anaesthesia, carbon dioxide, 25-29
 - ether, 26
- Angling, restoration of, 189-196
 - results, 177-186
 - statistics, 207-211
- Anguillidae
 - Anguilla bostoniensis*, 208
- Anisoptera, 56-62, 278-279, 283
- Amphipoda, 278-279
 - Hyalella*, 283
- Arachnida, 141
- Artificial lakes, stocking and management, 204-211
 - production, 212-219
 - propagation, smallmouth black bass, 233-245
 - stocking (see Stocking)
- Aspen, 37
- Avery Creek, 154

B

- Bacterial gill disease, 234
- Baetis brunneicollis*, 36
 - vagans*, 36
- Ball, Robert C., 177-186, 267-284
- Bantam Lake, 136-144
- Bass, black, protozoan parasite of, 197
 - Kentucky, 214-219
 - largemouth black, 77, 214-219, 270-284
 - creel census, 204-211
 - growth, 68-71
 - management, 204-211
 - pond production, 220-232
 - population study, 178-186, 189-196
 - survival, 63-67
 - rock, 214-219
 - smallmouth black, 77, 214-219
 - population study, 189-196
 - warmouth, 216-219
 - white, 216-219
- Bathymetric distribution, Reighard's chub, 108-135
- Bay (see under proper name)
- Beckman, William C., 72-78
- Beetles, 56-62
- Bentzel velocity tubs, 36

- Bluegill (see under Sunfish)
- Bottom fauna, 36-37, 56-62
- Bradley Creek, 155
- Broadacre Lake, 209
- Brook trout (see under Trout)
- Brown, C. J. D., 177-186, 267-284
- Bullhead, 208, 214-219, 270
 - population study, 178-186
- Buffalo, 214-219
- By-laws and constitution, 288-291
- Byers, A. F. (In Memoriam), 18

C

- Cacapon River, 234-245
- Caddisflies, 36-37, 56-62
- Caney Creek, 107
- Cannibalism, 220-221
- Cantrell Creek, 155
- Capnia manitoba*, 37
- Carbon-dioxide anaesthesia, 25-29
- Carp, 214-219
 - canned, as diet, 30-31
 - "knot-head", 193
 - population study, 187-196
- Carp sucker, 214-219
- Catch, per unit effort, 212-219
- Catostomidae
 - Catostomus commersonnii*, 187-186, 191-194, 270
 - Erimyzon sucetta*, 178-186, 270
- Catfish, blue, 216-219
 - channel, 214-219
 - mud, 214-219
- Cedar, white, 37
- Census, creel, 92-96, 150-177, 204-211
 - of fishermen, 103-107
- Centrarchidae
 - Ambloplites rupestris*, 72-78
 - Huro salmoides*, 63-67, 68-71, 77, 101, 178-186, 189-196, 204-211, 270-284
 - Lepomis cyanellus*, 178-186, 270
 - gibbosus*, 178-186
 - macrochirus*, 63-67, 99-102, 178-186, 204-211, 270-284
 - Micropterus dolomieu*, 77, 189-196, 197-203, 233-245
 - salmoides*, 197-203
 - Pomoxis nigro-maculatus*, 187-196
- Ceratopogonidae, 141
- Certificate of Incorporation, 287
- Chara cornuta*, 136
- Charra, taxonomy and habits, 79-91
- Cherokee Reservoir, 212-219
 - River, 212-219
- Chicamunga Reservoir, 52
- Chironomidae, 141-144
 - Chironomus*, 278-279
 - Tanytarsus*, 137-144
- Chub, Reighard's; age, growth, distribution, 108-135
- Cladocera
 - Daphnia*, 137-144
 - Hyalella*, 137-144, 276-278, 283
 - Leptodora*, 137-144
- Clinch River, 107
- Coefficient of condition, 75-78
 - brook trout, 48-50
 - Reighard's chub, 123-130
 - of correlation, 225
- Coleoptera, 56-62
 - Sialis*, 141

Colloidal phosphate, as fertilizer, 227-228
 Committees, members of, 4-5
 Condition, coefficient of (See coefficient of condition)
 Constitution and by-laws, 288-291
 Copepoda, 141
 Coregonidae

Leucichthys alpenae, 109
hoyi, 109
johannae, 109
kiyi, 109
nigripinnis, 109
reighardi, 108-135
zenithicus, 109

Corethra, 278-279
 Correlation, coefficient of, 225
 growth and weight, 225-226
 Cost of stocked fish, 211
 Cottonseed meal, as fertilizer, 97-102, 224-225
 Cottidae

Cottus bairdii, 37-40

Cove Creek, 154
 Crappie, black; population study, 187-196
 Crayfish, 56-62
 Creek (see under proper name)
 Creel census, 92-96, 150-157, 204-211
Cyclops, 276-278
 Cyprinidae

Cyprinus carpio, 187-196
Notemigonus crysoleucas, 101-102,
 178-186, 208, 270
Notropis cornutus, 178-186, 270
heterodon, 178-186, 270
heterolepis, 178-186, 270
Pimephales promelas, 194

D

Damselflies, 56-62
 Daniel Ridge Creek, 154
Daphnia, 137-144, 276-278
 Darter, Iowa, 270
 population study, 270
 Davidson River, trout management, 154-176

Decapoda, 56-62
 DeLacy, Allan C., 79-91
 Density, effect on growth, 72-78
 Derris root, (see Rotenone)
Dinobryon, 276
 Dinoflagellates, 276
 Diptera, 56-62
Chironomus, 278-279
Corethra, 278-279
 Distribution, bathymetric; Reighard's chub,
 108-135
 bottom organisms, 56-62
 Dobson flies, 57-62
 Dogfish, population study, 187-196
 shark, 264-266
 Dolly Varden charr: taxonomy and habits,
 85-88
 Dragonflies, 56-62
 Drum, 216-219

E

Earthworms, 56-62
 East Twin Lake; population studies, 187-196
 Editing manuscripts, instructions, 309-312
 Eel, 208
Elasmobranchii, 263-266
 Emory River, 107

Entomotraca

Copepoda, 141
Cyclops, 276-278
Daphnia, 276-278
Gammarus, 278-279
Hyalela, 137-144, 276-278, 283
Ostracoda, 141

Ephemera, 36
Ephemeroptera, 56-62, 141-144
Baetis brunneicolar, 36
vagans, 36

Ephemera, 36
Hexagenia bilineata, 56-62
Paraleptophlebia mollis, 36
Erimyzon sucetta, 178-186, 270
 Eschmeyer, R. W., 103-107

Esocidae

Esox lucius, 187-196, 263-266
vermiculatus, 178-186, 208, 270
 Ether anaesthesia, 26

F

Feeding habits, charrs, 86-89
 white perch, 136-144
 Fertilizer, cottonseed meal, 224-225
 organic, 97-102, 225-226
 inorganic, 97, 224
 Fertilization, lakes, 211
 ponds, 64-65, 223-232
 Fin regeneration; brown trout, 231-232
 Fish (see under family, genus, or common name)
 Fish, Frederic F., 25-29
 Fishing intensity, 103-107, 246-256
 Flatworms, 57-62
 Food organisms; effect of rotenone, 283
 Forest (see under proper name)
 Fork Creek, 154
 Fort Loudoun Reservoir, 52
 French Broad River, trout management,
 154-176
 Frost, Terrence P., 257-262
 Fry production, 236-241
Fundulus, sp., 70

G

Gage, Simon Henry, 263-266
Gambusia sp., 67, 70
Gammarus, 278-279
 Gar, long-nosed, 214-219
 Gill disease, bacterial, 234
 Golet, Robert W. (In Memoriam), 18
 Grand Coulee Dam, 25-29
 Great Bay, 257-262
 Growth; largemouth bass, 68-71
 Reighard's chub, 108-135
 compensation, 121-123
 in weight, 75-78
 rate, rock bass, 72-78
 Golden shiner, effect of fertilizer, 101-102
 Gum Swamp Lake, 208
 Gunter's Reservoir, 245-246
 Grogan Creek, 154
Gyrinus, 278-279

H

Habits of charrs, 79-91
 Hatchery technique, 145-149
 Hay as fertilizer, 229
 Heacock, Cecil, 231-232
Hexagenia bilineata, 56-62
 Hirudinea, 56-62
 Holston River, 52, 103-107, 212-219

Honey Creek, 268-269
Huro salmoides, 63-67, 68-71, 77, 101,
 178-186, 189-196, 204-211, 270-284
 Huron River, 268-269
 Human annoyance factor, 241-242
 Hunt Creek, 35-51
 Hunter, R. P., 14-17
Hyallela, 137-144, 276-278, 283
 Hydracarina, 56-62
 Hymenoptera, 141-142

I

Ichthyophthirius multifiliis, 234
 Impoundment; effect on fishing intensity,
 103-107
 Injections for vitamin deficiency, 30-34
 In Memoriam, 18
 Inorganic fertilizers, 97, 224
 Insects (see under order or genus)
 Instructions for preparing manuscripts,
 309-312
 Intensity, catch per unit, 212-219
 fishing, 246-256
Isogenus frontalis, 36

J

James, M. C., 21-24
 Jobs, Frank W., 108-135
 Johnson, Harry (In Memoriam), 18
 Jones, Warren H., 257-262

K

King, Willis, 204-211
 Kinney Cameron Lakes, 208

L

Lake (see under proper name)
 Lake Michigan, 108-135
Larix laricina, 37
 Laurel Creek, 154
 Laying mash, 97-102
 Leach, Glen C. (Biography), 21-24
 (In Memoriam), 18
 Leeches, 56-62, 278-279, 283
 Lee's phenomenon, 118
 Length frequency; brook trout, 40-41
 Reighard's chub, 116-118
 Length-weight relationship, 123-130, 259-
 261
 Leonard, Justin W., 35-51
 Lepisosteidae
Lepisosteus osseus oxyurus, 187-196
Lepomis cyanellus, 178-186, 270
gibbosus, 178-186
macrochirus, 63-67, 77, 99-102, 178-
 186, 204-211, 270-284
Leptodora, 137-144
 Lethal time; rotenone, 274
Leucichthys alpenae, 109
hoyi, 109
johanna, 109
kyti, 109
nigripinnis, 109
reighardi, 108-135
zenithicus, 109
Leuctra sp., 228
 Lime, as fertilizer, 228
 Limnology, Third Sister Lake, 270-272
 Liver, pork: in diet, 30-31

Long Lake, population studies, 187-196
 Looking-glass Creek, 154
 Lyman, F. Earle, 52-62

M

Management, artificial lakes, 204-211
 trout streams, 151-176
 Manuscripts, instructions for preparing,
 309-312
 Marking trout, 157-176
 Mayflies, 36-37, 56-62
 Meehan, O. Lloyd, 220-230
 Members, deceased, 18
 list of, 292-308
 Merritt, J. M. (In Memoriam), 18
Micropterus dolomieu, 77, 189-196, 197-
 203, 133-245
salmoides, 197-203 (see also *Huro*
salmoides)
 Miller, Lawrence F., 212-219, 248-256
 Mills River, 154-176
 Minnow, fat-head; for forage, 178-186
 mud; population study, 194
Mollisia sp., 70
 Mooneye, 214-219
Morone americana, 136-144
 Morphometry; charts, 79-91
 Morton, W. Markham, 79-91
 Mud minnow, 270
Mystrophora americana, 36

N

Najas flexilis, 136
 Natural propagation; smallmouth black
 bass, 233-245
 Nematoda, 56-62
Nemoura sp., 37
Notemigonus crysoleucas, 101-102, 178-186,
 203, 270
Notropis cornutus, 178-186, 270
heterodon, 178-186, 270
heterolepis, 178-186, 270
Nuphar advena, 279

O

Octomitus in rainbow trout, 30-31
 O'Donnell, D. John, 187-196
 Officers, list of, 3
 Oligochaeta, 56-62
 Organic fertilizer, 97-102, 225-226
 Osmeridae
Osmerus mordax, 257-262
 Ostracoda, 141

P

Pancreatic cells of fishes, 263-266
 Parasites, protozoan, 234
 of black bass, 197-203
Paraleptophlebia mollis, 36
praepedita, 36
 Peanut meal, 97-102
Perca flavescens, 77, 137, 187-196
 Perch, yellow, 77, 137
 population study, 187-196
 white; feeding habits, 136-144
 Percidae
Perca flavescens, 77, 137, 187-196
Stizostedion vitreum vitreum, 187-196
Peridinium, 276
Physa, 278-279, 283

- Pickeral, chain, 208
mud, 270
population study, 178-186
- Pickwick Reservoir, 246-256
- Pike, gar; population study, 187-196
northern, 263-266
population study, 187-196
walleyed; population study, 187-196
- Pinephales promelas*, 194
- Piney River, 107
- Pisgah Game Preserve, 151-176
National Forest; stream management, 15-176
- Planorbis*, 278-279, 283
- Planting fish (see Stocking)
- Plecoptera, 57-62
Allocaenia torontoensis, 37
Cynpis manitoba, 36
Isoegenus frontalis, 36
Leuctra sp., 37
Nemoura sp., 37
- Poeciliichthys exilis*, 178-186, 270
- Poeciliidae
Fundulus sp., 70
Gambusia sp., 67, 70
Mollisania sp., 70
Poeciliichthys exilis, 178-186, 270
- Poisoning, for population study, 177-186
- Pomoxis nigro-maculatus*, 187-196
- Pond, fertilization, 64-65, 97-102
measuring production, 220-232
survival in, 221-223
- Poplar Creek, 155
- Population studies, 177-186, 187-196
trout stream, 35-51
- Populus tremuloides*, 37
- Pork melts, in diet, 30-31
- Potamogeton amplifolius*, 279
natans, 279
- Potomac River, 234-245
Watershed, 234
- Presidents, past, 6-7
- Production; measuring in ponds, 220-232
per acre, 184-185
- Productivity; fertilized ponds, 224-226
trout stream, 35-51
- Protozoa
Ichthyophthirius multifiliis, 234
Scyphidia amoebae, 198
annulata, 198
micropteri, 197-203
rhizopoda, 198
tholiformis, 197-203
Trichodona, 197
Trichopyrus micropteri, 234
- Pumpkinseed (see under Sunfish)
- R
- Rays, 263-266
- Recoveries; stocked trout, 160-166
- Redhorse, 214-219
- Red lake charr; taxonomy and habits, 87-88
- Report of the president, 13-14
- River (see under proper name)
- Rock bass, growth rate, 72-78
- Rock Island Dam, 25-29
- Retenone, 42
in population study, 177-186, 187-196, 267-284
method of use, 268-269
- Roundworms, 56-62
- Ryan, C. D. (In Memoriam), 18
- S
- Salmon, chinook, 25-29
- Salmonidae, 263-266
Salmo clarkii, 145-149
gairdneri, 92-96
trideus, 30-34, 151-176
trutta, 151-176
Salvelinus alpinus, 79-91
fontinalis, 37-51, 92-96, 151-176, 264-266
malma, 79-91
- Salvage, anadromous fishes, 25-29
- Sampler, for fry, 236
Surber, 53-55
- Sampling method, 246-256
- Sandhills Wildlife Management Area, 204-211
- Sauger, 214-219
- Savings gear, 257-262
- Schneberger, Edward, 92-96
- Scyphidia amoebae*, 198
annulata, 198
micropteri, 197-203
rhizopoda, 198
tholiformis, 197-203
- Secretary, report, 14-17
- Sex ratio; Reighard's chub, 130-132
smelt, 259-261
- Sexual dimorphism, smelt, 259-261
- Shark, dogfish, 264-266
- Sharks, 263-266
- Shenandoah River, 234-245
- Sherwood Wildlife Area, 151-176
- Shetter, David S., 35-51
- Shiner, black-chinned, 270
population study, 178-186
black-nosed, 270
population study, 178-186
common, 270
population study, 178-186
golden, 208, 270
population study, 178-186
- Shiras, George, 3d, (In Memoriam), 18
- Shuck Creek, 154
- Sialidae, 56-62
Sialia, 141
- Skates, 263-266
- Slaterock Creek, 155
- Smelt, 257-262
- Smith, Charles G., 212-219
- Smith, E. V., 63-67, 97-107
- Snails, 278-279, 283
- Soybean meal, 99-102
- Spawning habits; charrs, 86-89
Reighard's chub, 132-134
smallmouth black bass, 235-236
- Squalidae
Squalus acanthias, 264-266
- Standing crop of fishes, 187-196
- Stizostedion vitreum vitreum*, 187-196
- Stocking; artificial lakes, 204-211
excess, 166-172
legal-sized trout, 165-166
results; brook trout, 92-96
rainbow trout, 92-96
trout, 159-176
seasonal, 160-166
- Stoneflies, 36-37, 57-62
- Stream management; Pisgah Forest, 150-176
- Sucker, chub, 270
population study, 178-186
common; population study, 178-186, 190-196
hog, 214-219
redhorse, 214-219

Sunfish, bluegill, 214-219, 270-284
 creel census, 204-211
 management, 204-211
 population study, 178-186
 survival, 63-67
 green, 270
 population study, 178-186
 long-eared, 214-219
 pumpkinseed, 178-186
 Surber, Eugene W., 197-203, 233-245
 Surber sampler, 53-55
 Survival, bluegills, 63-67
 in ponds
 largemouth bass, 63-67
 percentage of, 47-48
 Superphosphate, 97-102
 Swingle, H. S., 63-67, 97-107
 Syncytium, 265

T

Tadpole, 283
 Tagging fish, 208-211
 Tamarack, 37
Tanytarsus, 137-144
 Tarzwell, Clarence M., 246-256
 Taxonomy of charrs, 79-91
 Technique: for zymogen granules, 264-265
 Temperature and fry production, 240-241
 Tennessee River, 52-62, 103-107
 Valley Authority, 103-107
 reservoirs: fishing intensity, 264-256
 Thiamin chloride, injections, 30-34
 deficiency in trout, 30-34
 Third Sister Lake, 177-186, 267-284
 Thompson Creek, 155
Thuja occidentalis, 37
 Trap net, 257-262
 Treasurer, report, 14-17
Trichodona, 197
Trichoptera, 56-62, 141, 278-279, 283
Trichophrya micropteri, 234
 Troughs, effect of covering, 145-149
 Trout, brook, 264-266
 age and growth, 44-48
 management, 151-176
 stocking results, 92-96
 brown: fin regeneration, 231-232
 management, 151-176
 cutthroat, 145-149

rainbow: management, 151-176
 stocking results, 92-96
 vitamin deficiency, 30-34
 steelhead, 25-29
 True flies, 56-62
 Tryon, C. A., Jr., 145-149
 Turbellaria, 57-62

U

Umbridae
Umbra limi, 178-186, 270

V

Vallisneria spiralis, 136
 Van Oosten, John, 13-14
Vaucheria sp., 37
 Velocity, determination of, 36
Vernonia connata, 37
 Viosca, Percy, Jr., 68-71
 Vitamin deficiency in trout, 30-34

W

Warfel, Herbert E., 257-262
 Water mites, 56-62
 Watts Bar Reservoir, 52-62, 103-107
 production, 212-219
 Webster, Dwight A., 136-144
 Weight, gain in: hatchery fish, 145-149
 per day, 220-232
 growth in, 75-78
 length relationship, 123-130, 259-261
 Reighard's chub, 123-130
 West Twin Lake, 187-196
 Wheeler Reservoir, 246-256
 White Creek, 107
 Williamson, Lyman C., 92-96
 Wilson Reservoir, 107, 246-256
 Woodbury, Lowell A., 30-34

Y

Yeast, brewers, in diet, 34
 Yield, trout stream, 95-96

Z

Zygoptera, 56-62, 283
 Zymogen granules in fishes, 263-266